

**Subject:** RE: Conservation Services Group Home Energy Savings Report and Contract

**From:** "Imherr, Joseph" <Joseph.Imherr@csggrp.com>

**Date:** 02/13/2014 08:52 PM

**To:** Frank Chlebana <chlebana@fnal.gov>

All recessed lights are covered with a five sided drywall box over the top and then a spray foam to seal to the ceiling.

---

**From:** Frank Chlebana [mailto:chlebana@fnal.gov]

**Sent:** Thursday, February 13, 2014 8:26 AM

**To:** Imherr, Joseph

**Subject:** Re: Conservation Services Group Home Energy Savings Report and Contract

I have another question.

I am wondering how the air sealing would be done around the ceiling lights.  
Do you know if the ceiling lights are IC rated?  
Can they be directly covered with insulation or would they require an additional protective cover in the attic?

Frank

On 02/11/2014 06:56 PM, Imherr, Joseph wrote:

Mr. Chlebana, please see responses to your questions below. Please see attachment for revised contract.

1. Yes
2. Yes
3. Quote attached. I took off the r-38 un-faced batts as well as they are only to provide a curb around hatch to prevent new blown cellulose from falling when hatch is opened.

Joe Imherr  
Energy Advisor  
405 Eisenhower Lane South  
Lombard, IL 60148

t 877.821.9988  
c 630.432.9904  
f 630.705.0541

[joseph.imherr@csggrp.com](mailto:joseph.imherr@csggrp.com)  
[www.csggrp.com](http://www.csggrp.com)

---

**From:** Frank Chlebana [<mailto:chlebana@fnal.gov>]  
**Sent:** Tuesday, February 11, 2014 8:05 AM  
**To:** Imherr, Joseph  
**Subject:** Re: Conservation Services Group Home Energy Savings Report and Contract

Hi

I have a couple of questions

1) On one side of the attic there is a layer of blown in cellulose covered with fiberglass batting.

Would the additional blown in cellulose be applied on top?

2) Same question for the other side where there are two layers of fiberglass insulation. Would the blown in cellulose be applied on top?

3) Could I get a quote without the blown in insulation. i.e. line 2 and 5 removed.

I am interested in the targeted air sealing without the addition of blown in cellulose.

Thanks!

Frank

On 02/07/2014 10:28 PM, Imherr, Joseph wrote:

Mr. Chlebana, please see the attachments for a copy of your Home Energy Savings Report and Contract.

If you have any questions please let me know.

Thank you,

Joe Imherr  
Energy Advisor  
405 Eisenhower Lane South  
Lombard, IL 60148

t 877.821.9988  
c 630.432.9904  
f 630.705.0541

[joseph.imherr@csggrp.com](mailto:joseph.imherr@csggrp.com)  
[www.csggrp.com](http://www.csggrp.com)