

FIRST ALERT RADON DETECTORS

c/o Alpha Energy Labs 2501 Mayes Road Ste 100 Carrollton. TX 75006 www.DrHomeAir.com (800) 324-5928

Report & Sample Dates

DATE RECEIVED: 4/17/2016
REPORT DATE: 4/19/2016

Laboratory Certification Info

NEHA ID#: 101132 AL STATE ID#: RTL00318 ELAP ID#: 11430 NY

RADON TEST REPORT

Frank Chlebana 3n582 Bittersweet Rd Saint Charles, IL 60175 USA

YOUR RADON TEST RESULTS:

TEST KIT SERIAL#: FB26072

LAB ID#: 1541459

RADON LEVEL: 1.1 pCi/L

CLOSED HOUSE: Yes

START TIME/DATE: 08:25 AM 04/10/2016

STOP TIME/DATE: 02:25 PM 04/13/2016

TEST METHOD: Activated Charcoal EPA-402-R-92-004

SAMPLE TYPE: Short Term

PROJECT NAME:

TEST ADDRESS: 3n582 Bittersweet Rd

Saint Charles, IL 60175 USA

TEST FLOOR: 1st Floor

TEST LOCATION: Guest Bedroom

RADON HEALTH RISK INFORMATION:

Radon is the second leading cause of lung cancer, after smoking. The more elevated a home's radon level, the greater the health risk to you and your family. Smokers and former smokers are at especially high risk.

Radon concentration is measured in picocuries per liter of air (pCi/L). The US Environmental Protection Agency and the Surgeon General strongly recommend taking further action when the home's radon test results are 4 pCi/L or greater. Even homes with very high levels can be reduced below 4 pCi/L. The EPA recommends that you use a NRPP or state-approved contractor to correct radon problems. Radon levels less than 4 pCi/L still pose some risk and in many cases may be reduced. If the radon level in your home is between 2 pCi/L and 4 pCi/L, the The US Environmental Protection Agency and the Surgeon General recommend that you consider correcting the problem in your home.

QA/QC - Alpha Energy Test Kits have an estimated accuracy of ±5% when used according to directions.

PLEASE NOTE: Test results are only indicative of the sample collected. If proper testing procedures were not followed, results may not be representative of your radon levels. One sampler can test an area up to 2,000 square feet.

Measurement Specialist / Laboratory Director

Date 4/19/2016

Confidentiality: The information contained in this report is confidential. If you received this report in error, please return it to the address above.

Note: Alpha Energy Laboratories are solely responsible for the analysis of samples returned to us. We do not provide sampling services and are not responsible for erroneous radon concentrations resulting from incorrect sampling procedures.

IF YOU HAVE QUESTIONS ABOUT WHAT YOUR RESULTS MEAN:

EPA National Hotline: (800) 557-2366, epa.gov/radon, or, call your State Radon Contact: (217) 782-1325

IF YOU HAVE QUESTIONS ABOUT HOW TO FIX A RADON PROBLEM:

EPA National Hotline: (800) 557-2366, epa.gov/radon, or, call your State Radon Contact: (217) 782-1325

WHAT DO MY TEST RESULTS MEAN?

- If your test result is below 2 pCi/L you do not need to take further action at this time. The EPA recommends you retest every 2-3 years.
- If your test result is **between 2 pCi/L and 4 pCi/L** you should monitor your home. Your home is above the indoor average of 1.3 pCi/L. You can consider retesting now, or you can wait. However, The EPA recommends testing every 2 years to confirm your radon levels are not rising.
- If your radon level is **4 pCi/L or greater** you should take further action. If this is your first test, The EPA recommends you conduct another test to confirm your initial reading. If you have tested multiple times and the average of those tests is above 4 pCi/L, you should fix your home.

HOW DANGEROUS IS MY RADON LEVEL?

RADON RISK IF YOU SMOKE

Radon	If 1,000 people were exposed	The risk of radon induced	What To Do			
Level	to this level over a lifetime	lung cancer compares to	Next?			
100 pCi/L	About 770 people could get lung cancer	110 times the risk of dying in a car crash	Fix your home			
40 pCi/L	About 380 people could get lung cancer	95 times the risk of dying from poison	Fix your home			
20 pCi/L	About 260 people could get lung cancer	250 times the risk of drowning	Fix your home			
10 pCi/L	About 150 people could get lung cancer	200 times the risk of dying in a fire	Fix your home			
4 pCi/L	About 62 people could get lung cancer	5 times the risk of dying in a car crash	Fix your home			
2 pCi/L	About 32 people could get lung cancer	6 times the risk of dying from poison	Consider fixing between 2 & 4 pCi/L			
1.3 pCi/L	About 20 people could get lung cancer	(Average indoor radon level)	(Reducing below 1 pCi/L is difficult)			
0.4 pCi/L	About 3 people could get lung cancer	(Average outdoor radon level)	(Reducing below 1 pCi/L is difficult)			
Note: If you are a former smoker your risk may be lower						

Estimates are lifetime risk of lung cancer deaths from EPA Assessment of Risks from Radon in Homes (EPA 402-R-03-003)

RADON RISK IF YOU HAVE NEVER SMOKED

Radon	If 1,000 people were exposed	The risk of radon induced	What To Do	
Level	to this level over a lifetime	lung cancer compares to	Next?	
100 pCi/L	About 440 people could get lung cancer	63 times the risk of dying in a car crash	Fix your home	
40 pCi/L	About 120 people could get lung cancer	30 times the risk of dying from poison	Fix your home	
20 pCi/L	About 36 people could get lung cancer	35 times the risk of drowning	Fix your home	
10 pCi/L	About 18 people could get lung cancer	20 times the risk of dying in a fire	Fix your home	
4 pCi/L	About 7 people could get lung cancer	The risk of dying in a car crash	Fix your home	
2 pCi/L	About 4 people could get lung cancer	The risk of dying from poison	Consider fixing between 2 & 4 pCi/L	
1.3 pCi/L	About 2 people could get lung cancer	(Average indoor radon level)	(Reducing below 1 pCi/L is difficult)	
0.4 pCi/L		(Average outdoor radon level)	(Reducing below 1 pCi/L is difficult)	

Note: If you are a former smoker your risk may be lower

Estimates are lifetime risk of lung cancer deaths from EPA Assessment of Risks from Radon in Homes (EPA 402-R-03-003)

WHAT DO I DO NEXT?

	# of Times			What test do I use?
Type of Test	Tested	Test Result	What do I do next?	(If retesting)
Short Term	1	<2 pCi/L	Retest every 2-3 years	Short Term
(2-4 days)	1	2-4 pCi/L	Consider Retesting Now	Long Term or Short Term
	1	4-8 pCi/L	Retest Now	Long Term or Short Term
	1	>8 pCi/L	Retest Now	Short Term
Short Term	2 or More	<2 pCi/L	Test every 2-3 years	Short Term
(2-4 days)		2-4 pCi/L	Consider Fixing the Home	
		>4 pCi/L	Fix the Home	
Long Term	1 or More	<2 pCi/L	Test every 2-3 years	Short Term
(90-365 days)		2-4 pCi/L	Consider Fixing the Home	
		>4 pCi/L	Fix the Home	

HOW CAN I FIX A RADON PROBLEM?

If your radon level is at or above 4 pCi/L, you should fix your home. If your radon level is between 2 pCi/L and 4 pCi/L, you may wish to fix your home. For most homes, radon levels can be lowered to 2 pCi/L or lower.

We recommend only hiring contractors who are certified and trained in radon mitigaton. To find a certified contractor you can:

Call your State Radon Contact at (217) 782-1325 or go to DrHomeAir.com/States
Go to DrHomeAir.com/Mitigation for a list of NRPP certified contractors

Thank you for using our product. If you have future radon or mold testing needs, below is a coupon to purchase at discounted prices. You can fill out the coupon and return it to us, or order online using the coupon code: RADONREPORT

LABORATORIES Phone: (800) 324-5928 ALPHA ENERGY Subtotal \$ 3.50 Exp. Date **Shipping:** Order Total: **Special Price** Total \$25.16 \$25.16 \$26.96 \$10.76 \$8.96 Enter coupon code at checkout: Disc RADONREPORT Please Write Legibly 2501 Mayes Rd. Suite #100 **Method of Payment:** AmEx Scan to your phone: **Drhomeair.com/buy** Radon in Water Kit **Mold Detection Kit Credit Card Number** Order Online or Long Term Kit Short Term Kit (91 - 365 Days) Σ Description (2 - 4 Days) Real Estate Twin Pack (2 - 4 Days) Signature Visa Name Cit